

SENDER WILL CHECK CLASSIFICATION TOP AND BOTTOM			
UNCLASSIFIED		CONFIDENTIAL	
CENTRAL INTELLIGENCE AGENCY OFFICIAL ROUTING SLIP			
TO	NAME AND ADDRESS	DATE	INITIALS
1	DDS&T	16 2	<i>[Signature]</i>
2			
3			
4			
5			
6			
ACTION		DIRECT REPLY	PREPARE REPLY
APPROVAL		DISPATCH	RECOMMENDATION
COMMENT		FILE	RETURN
CONCURRENCE		INFORMATION	SIGNATURE
Remarks:			
<p>Confirming my conversation of this morning, herewith is a copy of the proposed agenda for the PFIAB meeting. As I understand it, you will be in touch with Al Flax as regards the item scheduled for 1730 hours, 15 February.</p> <p><i>You will presumably not wait & be present for the entire presentation.</i></p> <p>25X1A</p> <p>Att: [REDACTED] 025-68</p>			
FOLD HERE TO RETURN TO SENDER			
NAME, ADDRESS AND PHONE NO.			DATE
John A. Bross D/DCI/NIPE 7 E 22			8/2/68
UNCLASSIFIED		CONFIDENTIAL	SECRET

FORM NO. 2-61 237 Use previous editions

(40)

25X1A

25X1A

HANDLE VIA [REDACTED]
CONTROL SYSTEM ONLY

8 February 1968

Com-8

MEMORANDUM FOR THE RECORD

SUBJECT: Meeting of the President's Foreign Intelligence Advisory Board, 15 - 16 February 1968

Mr. Coyne has advised me orally of the following proposed agenda for the meeting of the PFIAB scheduled for 15 - 16 February.

15 February

- 1030 - 1145: Vietnam - political and military developments. [REDACTED] and a representative of DIA.
25X1A
- 1200 - 1230: Significance of Cambodia in the Vietnamese war. Representatives of CIA and DIA.
- 1400 - 1445: Situation in Korea - CIA. (A military representative will brief the Board on the Pueblo incident.)
- 1700 - 1730: Highlights of OXCART operations since the last meeting of the Board. [REDACTED] 25X1A
- 1730 - 1800: Future of the OXCART. Dr. Flax and Mr. Duckett.

16 February

- 1000 - 1045: Situation in China. [REDACTED] 25X1A
- 1100 - 1200: The Soviet presence in the Middle East. Representatives of State, Defense and DIA.

Distribution:

- Cy No. 1 - DCI
2 - DDCI
3 - DDI
4 - DDS&T
5 - DAVA

DD/S&T
FILE COPY

LEB 3 2 JS W. 88
JOHN A. BROSS
D/DCI/NIPE

25X1A

HANDLE VIA [REDACTED]
CONTROL SYSTEM ONLY

25X1A

[REDACTED] 025-68
Lab No. //